

PDG

CREATE WORTH FOR YOU.

Pack,Drill,Gears

宁波众创工具有限公司
Ningbo zhongchuang tools co.,ltd



PDG

CREATE WORTH
FOR YOU.

PACK • DRILL • GEARS



宁波众创工具有限公司
Ningbo Zhongchuang Tools Co.,Ltd

浙江省宁波市鄞州区首南街道高塘桥村
Gaotangqiao Village, Shounan Street, Yinzhou District, Ningbo City, Zhejiang Province.

(Tel.): +86-0574-88306321

+86-18968323032

(Fax): +86-0574-88306623

manager@zhongchuangtools.com

www.zhongchuangtools.com www.pdgtools.com

宁波众创工具有限公司
Ningbo Zhongchuang Tools Co.,Ltd



Company Profile

Ningbo Zhongchuang Tools Co., Ltd

Ningbo Zhongchuang Tools Co, Ltd is a professional tool company specialized in the production of power tools and related products. Founded in 2020, our company integrates R & D, production, sales and service, owning a complete and scientific quality and technology management system.

The main members of our company have been engaged in the power tool industry for more than 20 years, with rich experience in Li-ion battery tools and are quite familiar with the tool markets in domestic and abroad, can provide differentiated and customized products and services for customers with different quality and market demand. We are determined to gradually grow into an enterprise with certain popularity and influence in the electric tool industry through 3-5 years, provide customers with continuous and efficient products and services.

Ningbo Zhongchuang Tools Co, Ltd will always adhere to the principle of honesty and trustworthiness, quality-oriented, widely welcome customers from all over the world, welcome friends from all walks of life to visit, guide and business negotiation.

Welcome to Ningbo, welcome to Zhongchuang Tools.





PD1

Polisher & Waxer Series

CP16



Description

- 12V d.c.
- 2.0Ah Li-ion battery
- Four-pole motor
- 6 speed control
- Rotation speed: 2500-5000rpm
- Orbit: 8mm
- 150mm(6") or 125mm(5") hook and loop backing pad
- 3-5hour charger or 1hour charger

CD08



One Speed
Cordless Drill

CD08 / CD09 / CD12

- Voltage	12V/16V/20V
- Battery(Li-ion)	1.3/1.5/2.0Ah
- No-load speed	0-650rpm
- Max torque	25N.m
- Torque setting	18+1
- Max drilling	in wood: 20mm in steel: 10mm
- Charging time	3-5hour or 1hour

CD09



CD12



Description

- The continuously variable speed switch for optimal speed and torque control.
- 3/8-inch chuck for various drilling/driving applications.
- Compact and lightweight design that allows the tool to work in smaller spaces with ease.
- LED light provides visibility in dark working environment
- Ergonomic handle delivers comfort and control.
- 3 level battery status indicator keeps the user update of the most current battery condition.
- Option: BMC or color box packing.

CD08-S



Two Speed Series

CD08-S / CD09-S / CD12-S

- Voltage	12V/16V/20V
- Battery(Li-ion)	1.3/1.5/2.0Ah
- No-load speed	0-400/0-1400rpm
- Max torque	12V—32N.m 16V—35 N.m 20V—40N.m
- Torque setting	18+1
- Max drilling	in wood: 32mm in steel: 10mm in concrete: 10mm
- Charging time	3-5hour or 1hour

CD09-S



CD12-S



Description

- Two speed transmission for optimal speed and torque control.
- 3/8 or 1/2-inch chuck for various drilling/driving applications.
- Compact and lightweight design that allows the tool to into smaller spaces with ease.
- LED light provides visibility in dark working environment
- Ergonomic handle delivers comfort and control.
- 3 level battery status indicator keeps the user update of the most current battery condition.
- Option: spindle lock, single sleeve chuck, BMC or color box packing.

CD08-ST



Impact Series

CD08-ST/CD09-ST/CD12-ST

- Voltage	12V/16V/20V
- Battery(Li-ion)	1.3/1.5/2.0Ah
- No-load speed	0-400/0-1400rpm
- Impact rate:	10-6000/0-21000bpm
- Max torque	12V--32N.m 16V--35 N.m 20V--40N.m
- Torque setting	18+1+1
- Max drilling	in wood: 32mm in steel: 10mm in concrete: 10mm
- Charging time	3-5hour or 1hour

CD12-ST



CD09-ST



Description

- The continuously variable speed switch for optimal speed and torque control.
- 3/8-inch chuck for various drilling/driving applications.
- Compact and lightweight design that allows the tool to into smaller spaces with ease.
- LED light provides visibility in dark working environment
- Ergonomic handle delivers comfort and control.
- 3 level battery status indicator keeps the user update of the most current battery condition.
- Option: BMC or color box packing.

CD08-SQ



Quick Change
Chuck Series

CD08-SQ / CD09-SQ / CD12-SQ

- Voltage	12V/16V/20V
- Battery(Li-ion)	1.3/1.5/2.0Ah
- No-load speed	0-400/0-1400rpm
- Max torque	12V—32N.m 16V--35 N.m 20V--40N.m
- Torque setting	18+1
- Max drilling	in wood: 32mm in steel: 10mm in concrete: 10mm
- Charging time	3-5hour or 1hour

CD09-SQ



CD12-SQ



Description

- Two speed transmission for optimal speed and torque control.
- 3/8-inch chuck for various drilling/driving applications.
- The spindle lock function is convenient for disassembly and assembly of drills and screwdriver bits.
- Metal chuck has better strength and longer service life.
- Compact and lightweight design that allows the tool to into smaller spaces with ease.
- LED light provides visibility in dark working environment
- Ergonomic handle delivers comfort and control.
- 3 level battery status indicator keeps the user update of the most current battery condition.
- Option: BMC or color box packing.



SD03

- 3.6V d.c.
- 1300mAh Li-ion battery cell
- RS380 motor
- No-load speed: 230rpm
- Max torque: 5N.m
- Torque setting: 7+1
- Quick change chuck
- With led work light
- 90°& 180°angle adjustment
- With battery capacity indicator
- Option: spindle lock, charger or charging line.

Screwdriver Series

SD01 / SD02 / SD03



SD02

- 3.6V d.c.
- 1300mAh Li-ion battery cell
- RS380 motor
- No-load speed: 230rpm
- Max torque: 5N.m
- Steel output spindle
- With led work light
- With battery capacity indicator
- Option: spindle lock, charger or charging line.



SD01

- 3.6V d.c.
- 1300mAh Li-ion battery cell
- RS380 motor
- No-load speed: 230rpm
- Max torque: 5N.m
- Steel output spindle
- With led work light
- 90°& 180°angle adjustment
- With micro USB charging port
- Option: charger or charging line

CD04



n7
Replacement
Series

CD03 / CD04 / CD05

- Voltage	12V/16V/20V
- Battery(Li-ion)	1.3/1.5/2.0Ah
- No-load speed	0-650rpm
- Max torque	25N.m
- Torque setting	18+1
- Max drilling	in wood: 20mm in steel: 10mm
- Charging time	3-5hour or 1hour

CD05



CD03



Description

- The continuously variable speed switch for optimal speed and torque control.
- 3/8-inch chuck for various drilling/driving applications.
- Compact and lightweight design that allows the tool to into smaller spaces with ease.
- LED light provides visibility in dark working environment
- Ergonomic handle delivers comfort and control.
- 3 level battery status indicator keeps the user update of the most current battery condition.
- Option: BMC or color box packing.

Tool Sets



32PC



45PC



44PC



49PC



74PC



76&77PC





